

# MISSOURI DEPARTMENT OF TRANSPORTATION

CONCRETE BLOCK TRUCK WASH DOOR ADDITIONS  
CENTRAL DISTRICT  
STEELVILLE, MISSOURI  
Route 8, 0.5 Miles East of Route 19  
Crawford County

---

## ADDITION AND CLARIFICATION

**Sheet 3** Add the following Contractor Note on Sheet 3 Floor Plan between pilasters:

**Contractor Note:** Remove existing 8" portion of structural CMU wall as required for installation of new exhaust fan. Trim/flash as required. Conduit, switch & conductors to fan by MoDOT.

**Sheet 5** Indicates there is insulation above the ceiling liner panel. Clarification: Contractor shall install R36 blown in fiberglass insulation above existing ceiling and one, 24"x24" scuttle whole access with metal trim.

INDEX OF DRAWINGS


- 1-9 COVER SHEET
- 2-9 PLOT PLAN
- 3-9 FLOOR PLAN
- 4-9 DETAILS
- 5-9 BUILDING SECTION

MISSOURI DEPARTMENT  
OF TRANSPORTATION

CONCRETE BLOCK TRUCK WASH DOOR ADDITIONS  
CENTRAL DISTRICT  
STEELVILLE, MISSOURI  
Route 8, 0.5 Miles East of Route 19  
Crawford County

CODE REQUIREMENTS


BUILDING CODE - CURRENT IBC  
MECHANICAL CODE - CURRENT IBC



Concrete Block Truck Wash Door Additions  
Central District - Crawford County  
Steelville, Missouri

MISSOURI DEPARTMENT  
OF TRANSPORTATION  
DIVISION OF GENERAL SERVICES  
FACILITIES MANAGEMENT



COVER SHEET



A  
2

SITE PLAN

SCALE: 1" = 60'-0"




DRAWN BY: LARRY CARVER  
DATE: 10-15-10

Concrete Block Truck Wash Door Additions  
Central District - Crawford County  
Steelville, Missouri

MISSOURI DEPARTMENT  
OF TRANSPORTATION  
DIVISION OF GENERAL SERVICES  
FACILITIES MANAGEMENT

SITE PLAN

Sheet  
2 of 5




DRAWN BY: LARRY CARVER  
DATE: 12-2-15


Concrete Block Truck Wash Door Additions  
Central District - Crawford County  
Steelville, Missouri

MISSOURI DEPARTMENT  
OF TRANSPORTATION  
DIVISION OF GENERAL SERVICES  
FACILITIES MANAGEMENT



FLOOR PLAN  
Sheet 3 of 5



**FLOOR PLAN**  
SCALE: 1/8" = 1'-0"




HVAC SCHEDULE						
SYM.	UNIT	MANUFACTURER	BTU OUTPUT	FUEL	VOLTAGE	REMARKS
A	40'-0" INFRARED RADIANT TUBE HEATER PROVIDED & INSTALLED BY MODOT.	SUNSTAR SPS 100 40 TG OR EQUAL	100,000	PROPANE	115 1.8 AMPS	INCLUDE VENT CAP 30297040 COMBUSTION CAP 410 000 20 HIGH HUMIDITY THERMOSTAT 305 25 000 MOUNT 12" FROM WALL & 24" FROM CEILING.
B	24" DIA. CORROSION RESISTANT SHUTTER FAN BY GENERAL CONTRACTOR.	DAYTON 1BLJ7 OSHA GUARD OR EQUAL	4876 CFM	ELECTRIC	120	FIBERGLASS SHUTTER & BLADES. 6.7 AMPS.




MECHANICAL NOTES


- DRAWINGS AND DIAGRAMS ARE DIAGRAMMATIC AND SHALL NOT BE SCALED. REFER TO ARCHITECTURAL DRAWINGS FOR DIMENSIONS.
- MECHANICAL WORK SHALL BE INSTALLED IN STRICT COMPLIANCE WITH THE LATEST EDITION OF THE IBC MECHANICAL CODE.
- PROVIDE EQUIPMENT AND APPURTENANCES NOT NECESSARILY SHOWN OR SPECIFIED BUT NEEDED FOR PROPER INSTALLATION.
- ALL EQUIPMENT AND MATERIALS, IN PARTICULAR VALVES, FILTERS, MOTORS, AND CONTROLS SHALL BE ARRANGED TO PROVIDE PROPER CLEARANCE FOR SERVICE, MAINTENANCE AND INSPECTION.
- MECHANICAL SUBCONTRACTOR SHALL FULLY COORDINATE ALL WORK WITH PLUMBING AND ELECTRICAL WORKERS PRIOR TO COMMENCING OF THE MECHANICAL INSTALLATION.




A BOLLARD DETAIL  
4 SCALE: 1-1/2" = 1'-0"



C PASSAGE DOOR  
4 HEAD DETAIL  
SCALE: 1" = 1'-0"




B HEAD DETAIL  
4 SCALE: 1" = 1'-0"



Concrete Block Truck Wash Door Additions  
Central District - Crawford County  
Steelville, Missouri

MISSOURI DEPARTMENT  
OF TRANSPORTATION  
DIVISION OF GENERAL SERVICES  
FACILITIES MANAGEMENT

DETAILS




DRAWN BY: LARRY CARVER  
DATE: 12-2-15

Concrete Block Truck Wash Door Additions  
Central District - Crawford County  
Steelville, Missouri

MISSOURI DEPARTMENT  
OF TRANSPORTATION  
DIVISION OF GENERAL SERVICES  
FACILITIES MANAGEMENT

BUILDING SECTION



**BUILDING SECTION**  
SCALE: 3/16" = 1'-0"

SEE SHEET 4 FOR THE MECHANICAL NOTES AND SCHEDULE.